

IL NUOVO CIMENTO

INDICI

DEL VOLUME IX - SERIE X

1958



Digitized by the Internet Archive
in 2024

INDICE SISTEMATICO

PER NUMERI SUCCESSIVI DEL PERIODICO

N. 1 - 1° LUGLIO 1958

M. KOSHIBA, G. SCHULTZ and M. SCHEIN - The charge spectrum of the cosmic radiation at 41° N	pag. 1
E. SILVA, J. GOLDEMBERG, P. B. SMITH and L. MARQUEZ - (γ , n) and (γ , 2n) reactions in ⁹³ Nb	» 17
R. T. SHARP - Two-nucleon potential from Chew-Low theory	» 23
M. CERVASI FIDECARO, G. FIDECARO, G. MARINI and L. MEZZETTI - The zenithal distribution of the cosmic ray neutrons in the high energy range	» 37
D. R. YENNIE and S. GARTENHAUS - Convergence of the S-matrix	» 59
S. K. SRINIVASAN, J. C. BUTCHER, B. A. CHARTRES and H. MESSEL - Numerical calculations on the new approach to the cascade theory - III	» 77
G. CORTINI, C. MILONE, A. RUBBINO and F. FERRERO - Energy spectra of photoneutrons from Cr and Ta	» 85
R. INGRAHAM - On the derivation of rate equations	» 99
J. S. R. CHISHOLM and G. M. DIXON - Unitary transformations of symmetric PS-PS and PS-PV interactions	» 125
E. V. IVASH - Internal conversion angular correlations	» 136
A. MINGUZZI - Causality and vacuum polarization due to a constant and a radiation field	» 145
A. BARBARO, G. BARONI and C. CASTAGNOLI - Diffraction scattering and interactions of 0.57 GeV π^- in emulsions	» 154
E. SCHRÖDINGER - Might perhaps energy be a merely statistical concept?	» 162

Note Tecniche:

U. PELLEGRINI, B. RISPOLI e A. SERRA - Un circuito di coincidenza con tempo risolutivo di 2.2 ns e tempo morto dell'ordine di 5 ns di possibile impiego nella fisica nucleare	» 171
---	-------

Lettere alla Redazione:

L. PERALDO BICELLI - Infrared Absorption spectra of some pyridine molecular complexes	» 184
C. CASTAGNOLI, A. MANFREDINI and A. W. MERRISON - Energy dependence of positron asymmetry from polarized muon decay in emulsion	» 186

G. CORTINI, C. MILONE, R. RINZIVILLO and C. TRIBUNO - Photoprotons from nitrogen	pag. 188
TSAI-CHÜ, B. CHEMEL and S. DESPREZ-REBAUD - Associated production of a K^+ meson and a hyperfragment	» 192
<i>Libri ricevuti e Recensioni</i>	» 195

N. 2 - 16 LUGLIO 1958

R. R. BROWN - Latitude variation of 27-day cosmic ray intensity decreases	pag. 197
D. ITO, S. MINAMI and H. TANAKA - Nucleon structure and pion-phenomena	» 208
W. WEIDLICH - Zum Aufbau der Quantenfeldtheorie ohne Lagrangeformalismus	» 228
D. I. BLOHINČEV V. S. BARAŠENKOV and V. G. GRIŠIN - Elastic scattering and intrinsic structure of elementary particles	» 249
S. W. McDOWELL - Correlated polarization of muons in $K_{\mu 3}$ -decay	» 258
G. STEPHENSON - Quadratic Lagrangians and General Relativity	» 263
C. B. VAN WYK - Polarization of particles with spin unity	» 270
L. COLLI, M. PIGNANELLI, A. RYTZ and R. ZURMÜHLE - Spectrum of protons from n, p reactions at 13.4 and 17.5 MeV	» 280
E. G. BELTRAMETTI and S. VITALE - Determination of the circular polarization of the β -rays bremsstrahlung with a new μ -polarimeter	» 289
T. REGGE - On the analytic behaviour of the eigenvalue of the S -matrix in the complex plane of the energy	» 295
A. CARRELLI and F. CENNAMO - Measurement of the wind produced in liquids by an excited piezoelectric quartz	» 303
G. TORALDO DI FRANCIA - Babinet's principle for diffraction at a plane screen with directional conductivity	» 309
P. BUDINI, N. DALLAPORTA and L. FONDA - On the charge conjugation of baryons	» 316

Lettere alla Redazione

K. IMAEDA, M. KAZUNO and T. AIBA - Analysis of three hypertriton decays	» 324
M. GAVRILA - On Hall's formula for the relativistic photoeffect	» 327
M. V. MIHAILOVIĆ - The high-energy end of the electron-bremsstrahlung spectrum	» 331
P. G. SONA - A general type of experiments proposed to test the conservation of parity in strong interactions at high energies	» 334
J. RAYSKI - Heisenberg's universal theory and gravitation	» 337
D. AMATI and B. VITALE - Hyperon polarization in associated production and heavy meson parity	» 340
V. EMMA, C. MILONE and A. RUBBINO - Angular distribution of photoprotons from silicon	» 343
K. HALLER - Remarks on some identities in static meson theory	» 346
B. BOSCO and S. FUBINI - Phenomenological relation between electron and photon disintegration of nuclei	» 350
C. CEOLIN, N. DALLAPORTA and L. TAFFARA - Pion production in the K^+ -nucleon interaction	» 353

M. GRILLI, L. GUERRIERO, M. MERLIN, Z. O'FRIEL and G. A. SALANDIN - Preliminary results on K^+ interaction at high energy $((200 \div 350) \text{ MeV})$	pag. 358
L. FAVELLA - On the stability of the Nordström-Reissner singularity . . . »	362

N. 3 - 1° AGOSTO 1958

N. ST. KALITZIN - Über den Einfluß der Eigenrotation des Zentralkörpers auf die Bewegung der Satelliten nach der Einsteinschen Gravitationstheorie	pag. 365
G. H. BURKHARDT - The suppression effect in ionization by fast electron pairs »	375
P. S. GILL and A. N. MITRA - Hemispherical distribution of cosmic rays at 25° geomagnetic latitude »	400
W. F. NASH and A. J. POINTON - The scattering of μ -mesons in lead and copper »	412
M. BRUIN, D. J. HOLTHUIZEN and B. JONGEJANS - On the abundances of the $K_{\mu 3}$ and K_{e3} decay modes of positive K-mesons »	422
S. A. BLUDMAN - On the universal Fermi interaction »	433
V. SANGIUST - Note on the decay of ^{82}Sr »	446
M. L. GOLDBERGER and S. B. TREIMAN - Neutral pion decay »	451
D. ITO, S. MINAMI and H. TANAKA - A note on an acausality test (II) . . »	461
P. NOZIÈRES and D. PINES - A dielectric formulation of the many body problem. Application to the free electron gas »	470
T. REGGE - Construction of potentials from resonance parameters . . . »	491
J. S. GOLDSTEIN - Pair effects in the Lee model »	504
G. WATAGHIN - Causality, complementarity and S -matrix formalism in 4 non-local relativistic theories of fields »	519

Note Tecniche:

A. DE MARCO, R. SANNA and G. TOMASINI - Electronic equipment for measuring ionization in nuclear plates »	524
U. PELLEGRINI - Un generatore di treni d'impulsi nel campo dei nanosecondi »	533
L. COLLI, S. MICHELETTI e C. SALVETTI - L'acceleratore per deutoni da 160 keV dell'INFN, Sezione di Milano »	538

Lettere alla Redazione:

H. SINGH - Sound absorption in relation to free volume of liquids . . . »	545
A. M. BALDIN and P. K. KABIR - Question of a second neutral pion . . »	547
M. BALDO CEOLIN, W. F. FRY and H. HUZITA - The non-mesonic decay in flight of a He hyperfragment »	551
D. ITO, S. MINAMI and H. TANAKA - Test on the global symmetry . . . »	554
R. GATTO and M. RUDERMAN - On electromagnetic corrections from high energy virtual photons »	556
R. CIRELLI e A. ESTEVE PASTOR - Il metodo funzionale di Feynman in un modello di teoria dei campi »	560
G. MORPURGO - A discussion of some angular distributions in the reactions $\pi + N \rightarrow \pi + \pi + N$, $N + N \rightarrow 2N + \pi$, $\gamma + N \rightarrow \pi + \pi + N$ »	564

N. 4 - 16 AGOSTO 1958

J. WERLE - Phenomenological theory of the S -matrix and T , C and P invariance	pag. 569
H. UMEZAWA and H. MIYAZAWA - On the symmetry law and the pion decay	» 586
B. CHAMANY and A. G. BARKOW - Slow mesons accompanying high energy interactions	» 590
M. C. JOSHI, B. N. SUBBA RAO and B. V. THOSAR - M_1 transitions in ^{141}Pr and ^{191}Ir	» 600
Y. NAMBU - Dispersion relations for form factors	» 610
G. ALEXANDER, C. BALLARIO, R. BIZZARRI, B. BRUNELLI, E. DI CAPUA, A. MICHELINI, G. C. MONETI and A. ZICHICHI - Λ^0 - and Θ^0 -particles produced in iron	» 624
T. H. PHAM - Comparaison des deux méthodes d'obtention des équations du mouvement en relativité générale	» 647
E. REMY and K. WINTER - On the mechanism of the $(n, 2n)$ reaction at 14 MeV neutron energy	» 664
I. ULEHLA - A new possible theory of the μ -meson	» 679
M. S. FARAG - On the determination of the space-group by the statistical method	» 694
BRAT PAL SINGH, H. S. HANS and P. S. GILL - Investigations of the decay of polonium-210	» 699
G. CORTINI, G. LUZZATTO, G. TOMASINI and A. MANFREDINI - On the methods of ionization measurement in G-4 and K-5 emulsions	» 706
P. SEN - The coefficients of friction and wear	» 721

Lettere alla Redazione:

M. N. HACK - On convergence to the Møller wave operators	» 731
D. PROSPERI and S. SCIUTI - Branching ratio of ThC (^{212}Bi)	» 734
S. CAVALLARO, V. EMMA, C. MILONE and A. RUBBINO - Photoneutrons from Au	» 736
M. CONVERSI, E. FIORINI, S. RATTI, C. RUBBIA, C. SUCCI and G. TORELLI - A search for particles of 540 m_e	» 740

N. 5 - 1° SETTEMBRE 1958

Y. EISENBERG, W. KOCH, E. LOHRMANN, M. NIKOLIĆ, M. SCHNEEBERGER and H. WINZELER - Interactions and decays of K^- -mesons. - III. Analysis of the stars in flight	pag. 745
S. NAKAGAWA, E. TAMAI and S. NOMOTO - Energetic heavy fragments emitted from nuclear stars	» 780
R. K. OSBORN and E. D. KLEMA - Dynamics of an elastic ellipsoid	» 791
G. ASCOLI, R. D. HILL and T. S. YOON - Interaction of negative K -mesons with protons	» 813
L. M. GARRIDO - Strong coupling nucleon's propagator	» 822

M. JACOB - Angular distributions in strange particle two body-decays . . .	pag. 826
J. D. JACKSON, D. G. RAVENHALL and H. W. WYLD jr. - Phenomenological discussion of the scattering and absorption of K-mesons by protons . .	» 834
F. FERRARI and L. FONDA - The Λ -hyperon-nucleon problem from meson theory	» 842
V. BISI, R. CESTER, A. DEBENEDETTI, C. M. GARELLI, B. QUASSIATI, L. TALLONE and M. VIGONE - Nuclear interactions of neutral K-mesons of long lifetime	» 864
H. S. GREEN - Observation in quantum mechanics	» 880
P. G. FEDERBUSH and M. T. GRISARU - Representations of symmetry operators	» 890
D. AMATI and B. VITALE - On a possible test of symmetry in pion-barion interactions	» 895
M. SIMONETTA and S. CARRÀ - The height of the barrier hindering rotation in nitrosodimethylamine	» 902
T. BOWEN, M. DI CORATO, W. H. MOORE and G. TAGLIAFERRI - Absorption cross sections of carbon, iron and lead for 1.5 GeV negative pions and 2.8 GeV protons	» 908

Lettere alla Redazione:

B. D'ESPAGNAT - A new representation for baryonic fields and strong interactions	» 920
--	-------

<i>Libri ricevuti e Recensioni</i>	» 924
--	-------

N. 6 - 16 SETTEMBRE 1958

D. I. BLOHINČEV - On a possible limit of applicability of quantum electrodynamics	pag. 925
M. V. KONJUKOV and J. P. TERLETSKIJ - On the theory of the linear betatron	» 930
J. RZEWUSKI - On a possible geometrical interpretation of gauge transformations	» 948
E. CLEMENTEL and C. VILLI - The nucleon effective mass and the statistical model of the nucleus	» 950
V. GLASER - An explicit solution of the Thirring model	» 990
W. THIRRING - On interacting spinor fields in one dimension	» 1007
A. WEISSMANN - Über den Anisotropen Charakter der verallgemeinerten Relativistischen Räume	» 1016
J. M. FOWLER, H. PRIMAKOFF and R. D. SARD - The polarization of cosmic ray muons	» 1027
S. LIMENTANI, P. E. SCHLEIN, P. H. STEINBERG and J. H. ROBERTS - Hyperfragment binding energies	» 1046
S. SEGRE - On the formation of magneto-hydrodynamic shock waves	» 1054
G. FAVINI e M. SIMONETTA - Applicazione del metodo del campo auto-consistente alle molecole di cis- e trans-dicloroetilene e di tetracloroetilene	» 1058
G. BECK and H. M. NUSSENZVEIG - Uncertainty relation and diffraction by a slit	» 1068
P. CONNOLLY and G. LYNCH - Angular distribution in π - μ decay	» 1077

D. M. SKYRME and G. N. HARDING - The mechanism of neutron emission in high energy fission	pag. 1082
R. G. GLASSER, N. SEEMAN and G. A. SNOW - K^- interactions with free protons in nuclear emulsion	» 1085
J. WERLE - Phenomenological theory of the S -matrix and T , C and P invariance - II.	» 1091

Lettere alla Redazione:

L. BERTOCCHI and A. MINGUZZI - The mesic coupling constants from scattering and photoproduction experiments	» 1107
L. CIUFFOLOTI, G. LUZZATTO, G. TOMASINI and G. CORTINI - Mass measurements in G-5 and K-5 emulsions	» 1110
A. MINGUZZI - Charged meson-nucleon dispersion relations with fixed nucleons	» 1114
R. K. GUPTA, S. JHA and B. K. MADAN - Note on the electron capture decay of $^{121}\text{Te}^m$	» 1117

<i>Libri ricevuti e Recensioni</i>	» 1118
--	--------

<i>Indici del Volume IX, Serie X, 1958</i>	» 1119
--	--------

INDICE PER AUTORI

Le sigle L. e N.T. si riferiscono rispettivamente alle *Lettere alla Redazione* e alle *Note Tecniche*.

AIBA T. (vedi IMAEDA K.) (L.)	pag. 324
ALEXANDER G., C. BALLARIO, R. BIZZARRI, B. BRUNELLI, E. DI CAPUA, A. MICHELINI, G. C. MONETI and A. ZICHICHI - Λ^0 and θ^0 particles produced in iron	» 624
AMATI D. and B. VITALE - Hyperon polarization in associated production and heavy-meson parity (L.)	» 340
AMATI D. and B. VITALE - On a possible test of symmetry in pion-baryon interactions	» 895
ASCOLI G., R. D. HILL and T. S. YOON - Interactions of negative K-mesons with protons	» 813
BALDIN A. M. and P. K. KABIR - Question of a second neutral pion (L.)	» 547
BALDO-CEOLIN M., W. F. FRY and H. HUZITA - The non-mesonic decay in flight of a He hyperfragment (L.)	» 551
BALLARIO C. (vedi ALEXANDER G.)	» 624
BARAŠENKOV V. S. (vedi BLOHINČEV D. I.)	» 249
BARBARO A., G. BARONI and C. CASTAGNOLI - Diffraction scattering and interactions of 0.57 GeV π^- in emulsions	» 154
BARKOW A. G. (vedi CHAMANY B.)	» 590
BARONI G. (vedi BARBARO A.)	» 154

BECK G. and H. M. NUSSENZVEIG - Uncertainty relation and diffraction by a slit	pag. 1068
BELTRAMETTI E. G. and S. VITALE - Determination of the circular polarization of the β -rays bremsstrahlung with a new γ -polarimeter	» 289
BERTOCCHI L. and A. MINGUZZI - The mesic coupling constants from scattering and photoproduction experiments	» 1107
BISI V., R. CESTER, A. DEBENEDETTI, C. M. GARELLI, B. QUASSIATI, L. TALLONE and M. VIGONE - Nuclear interactions of neutral K-mesons of long lifetime	» 864
BIZZARRI R. (vedi ALEXANDER G.)	» 624
BLOHINČEV D. I. - On a possible limit of applicability of quantum electrodynamics	» 925
BLOHINČEV D. I., V. S. BARAŠENKOV and V. G. GRIŠIN - Elastic scattering and intrinsic structure of elementary particles	» 249
BLUDMAN S. A. - On the universal Fermi interaction	» 433
BOSCO B. and S. FUBINI - Phenomenological relation between electron and photon disintegration of nuclei (L.)	» 350
BOWEN T., M. DI CORATO, W. H. MOORE jr. and G. TAGLIAFERRI - Absorption cross sections of carbon, iron and lead for 1.5 GeV negative pions and 2.8 GeV protons	» 908
BROWN R. R. - Latitude variation of 27-day cosmic ray intensity decreases	» 197
BRUN M., D. J. HOLTHUIZEN and B. JONGEJANS - On the abundances of the K_{u3} and K_{e3} decay modes of positive K-mesons	» 422
BRUNELLI B. (vedi ALEXANDER G.)	» 624
BUDINI P., N. DALLAPORTA and L. FONDA - On the charge conjugation of baryons	» 316
BURKHARDT G. H. - The suppression effect in ionization by fast electron pairs	» 375
BUTCHER J. C. (vedi SRINIVASAN S. K.)	» 77
CARRÀ S. (vedi SIMONETTA M.)	» 902
CARRELLI A. and F. CENNAO - Measurement of the wind produced in liquids by an excited piezoelectric quartz	» 303
CASTAGNOLI C., A. MANFREDINI and A. W. MERRISON - Energy dependence of positron asymmetry from polarized muon decay in emulsion (L.)	» 186
CASTAGNOLI C. (vedi BARBARO A.)	» 154
CAVALLARO S., V. EMMA, C. MILONE and A. RUBBINO - Photoneutrons from Au	» 736
CENNAO F. (vedi CARRELLI A.)	» 303
CEOLIN C., N. DALLAPORTA and L. TAFFARA - Pion production in the K-nucleon interaction (L.)	» 353
CERVASI FIDECARO M., G. FIDECARO, G. MARINI and L. MEZZETTI - The zenithal distribution of the cosmic ray neutrons in the high energy range	» 37
CESTER R. (vedi BISI V.)	» 864
CHAMANY B. and A. G. BARKOW - Slow mesons accompanying high energy interactions	» 590
CHARTRES B. A. (vedi SRINIVASAN S. K.)	» 77
CHEMEL B. (vedi TSAI-CHÜ) (L.)	» 190
CHISHOLM J. S. R. and G. M. DIXON - Unitary transformations of PS-PS and PS-PV interactions	» 125
CIRELLI R. e A. ESTEVE PASTOR - Il metodo funzionale di Feynman in un semplice modello di teoria dei campi (L.)	» 560

CIUFFOLOTTI L., G. LUZZATTO, G. TOMASINI and G. CORTINI - On the methods of ionization measurements in G-5 and K-5 emulsions . . .	pag. 1110
CLEMENTEL E. and C. VILLI - The nucleon effective mass and the statistical model of the nucleus	» 950
COLLI L., S. MICHELETTI e C. SALVETTI - L'acceleratore per deutoni di 160 keV dell'INFN, Sezione di Milano (N.T.)	» 538
COLLI L., M. PIGNANELLI, A. RYTZ and R. ZURMÜHLE - Spectrum of protons from n, p reactions at 13.4 and 17.5 MeV neutron energies.	» 280
CONNOLLY P. and G. LYNCH - Angular distribution in π - μ decay	» 1077
CONVERSI M., E. FIORINI, S. RATTI, C. RUBBIA, C. SUCCI and G. TORRELLI - A search for particles of 550 m_e	» 740
CORTINI G. (vedi CIUFFOLOTTI L.) (L.)	» 1110
CORTINI G., C. MILONE, R. RINZIVILLO and C. TRIBUNO - Photoprotons from nitrogen (L.)	» 188
CORTINI G., A. MILONE, A. RUBBINO and F. FERRERO - Energy spectra of photoneutrons from Cr and Ta	» 85
CORTINI G., G. LUZZATTO, G. TOMASINI and A. MANFREDINI - On the methods of ionization measurement in G-5 and K-5 emulsions	» 706
DALLAPORTA N. (vedi BUDINI P.)	» 316
DALLAPORTA N. (vedi CEOLIN C.) (L.)	» 353
DEBENEDETTI A. (vedi BISI V.)	» 864
DE MARCO A., R. SANNA and G. TOMASINI - Electronic equipment for measuring ionization in nuclear plates (N.T.)	» 524
D'ESPAGNAT B. - A new representation for baryonic fields and strong interactions (L.)	» 920
DESPREZ-REBAUD S. (vedi TSAI-CHÜ)	» 190
DI CAPUA E. (vedi ALEXANDER G.)	» 624
DI CORATO M. (vedi BOWEN T.)	» 908
DIXON G. M. (vedi CHISHOLM J. S. R.)	» 125
EISENBERG Y., W. KOCH, E. LOHRMANN, M. NICOLIĆ, M. SCHNEEBERGER and H. WINZELER - Interactions and decays of K ⁻ -mesons. - III. Analysis of the stars in flight	» 745
EMMA V., C. MILONE and A. RUBBINO - Angular distribution of photoprotons from silicon (L.)	» 343
EMMA V. (vedi CAVALLARO S.) (L.)	» 736
ESTEVE PASTOR A. (vedi CIRELLI R.) (L.)	» 560
FARAG M. S. - On the determination of the space group by the statistical method	» 694
FAVELLA L. - On the stability of the Nordström-Reissner singularity (L.)	» 362
FAVINI G. e M. SIMONETTA - Applicazione del metodo del campo auto-consistente alle molecole di cis- e transdicloroetilene e di tetracloroetilene	» 1058
FEDERBUSH P. G. and M. T. GRISARU - Representations of symmetry operators	» 890
FERRARI F. and L. FONDA - The Λ -hyperon-nucleon problem from meson theory	» 842
FERRERO F. (vedi CORTINI G.)	» 85
FIDECARO G. (vedi CERVASI FIDECARO M.)	» 37
FIORINI E. (vedi CONVERSI M.) (L.)	» 740
FONDA L. (vedi BUDINI P.)	» 316
FONDA L. (vedi FERRARI F.)	» 842

FOWLER J. M., H. PRIMAKOFF and R. D. SARD - The polarization of cosmic ray muons	pag. 1027
FRY W. F. (vedi BALDO CEOLIN M.) (L.)	» 551
FUBINI S. (vedi BOSCO B.) (L.)	» 350
GARELLI C. M. (vedi BISI V.)	» 864
GARRIDO L. M. - Strong coupling nucleon's propagator	» 822
GARTENHAUS S. (vedi YENNIE D. R.)	» 59
GATTO R. and M. RUDERMAN - On electromagnetic corrections from high energy virtual photons (L.)	» 556
GAVRILA M. - On Hall's formula for the relativistic photoeffect (L.)	» 327
GILL P. S. and A. N. MITRA - Hemispherical distribution of cosmic rays at 25° geomagnetic latitude	» 400
GILL P. S. (vedi SINGH B. P.)	» 699
GLASER V. - An explicit solution of the Thirring model	» 990
GLASSER R. G., N. SEEMAN and G. A. SNOW - K ⁻ -interactions with free protons in nuclear emulsion	» 1085
GOLDBERGER M. L. and S. B. TREIMAN - Neutral pion decay	» 451
GOLDEMBERG J. (vedi SILVA E.)	» 17
GOLDSTEIN J. S. - Pair effects in the Lee model	» 504
GREEN H. S. - Observation in quantum mechanics	» 880
GRILLI M., L. GUERRIERO, M. MERLIN, Z. O'FRIEL and G. A. SALANDIN - Preliminary results on K ⁺ interaction at high energy ((200 ÷ 350) MeV) (L.)	» 358
GRISARU M. T. (vedi FEDERBUSH P. G.) (L.)	» 890
GRİŠIN V. G. (vedi BLOHINČEV D. I.)	» 249
GUERRIERO L. (vedi GRILLI M.) (L.)	» 358
GUPTA R. K., S. JHA and B. K. MADAN - Note on the electron capture decay of ¹²¹ Te ^m	» 1117
HACK M. N. - On convergence to the Møller wave operators (L.)	» 731
HALLER K. - Remarks on some identities in static meson theory (L.)	» 346
HANS H. S. (vedi SINGH B. P.)	» 699
HARDING G. N. (vedi SKYRME D. M.) (L.)	» 1082
HILL R. D. (vedi ASCOLI G.)	» 813
HOLTHUIZEN D. J. (vedi BRUIN M.)	» 422
HUZITA H. (vedi BALDO-CEOLIN M.) (L.)	» 551
IMAEDA K., M. KAZUNO and T. AIBA - Analysis of three hypertriton decays (L.)	» 324
INGRAHAM R. - On the derivation of rate equations	» 99
ITO D., S. MINAMI and H. TANAKA - Nucleon structure and pion-phenomena	» 208
ITO D., S. MINAMI and H. TANAKA - A note on an acausality test (II)	» 461
ITO D., S. MINAMI and H. TANAKA - Test on the global symmetry (L.)	» 554
IVASH E. V. - Internal conversion angular correlations	» 136
JACKSON J. D., D. G. RAVENHALL and H. W. WYLD jr. - Phenomenological discussion of the scattering and absorption of K-mesons by protons	» 834
JACOB M. - Angular distribution in strange particle two body-decays	» 826
JHA S. (vedi GUPTA R. K.) (L.)	» 1117
JONGEJANS B. (vedi BRUIN M.)	» 422
JOSHI M. C., B. N. SUBBA RAO and B. V. THOSAR - M_1 transitions in ¹⁴¹ Pr and ¹⁵¹ Ir	» 600
KABIR P. K. (vedi BALDIN A. M.) (L.)	» 547
KALITZIN N. S. Über den Einfluß der Eigenrotation des Zentralkörpers auf die Bewegung der Satelliten nach der Einsteinschen Gravitationstheorie	» 365

KAZUNO M. (vedi IMAEDA K.) (L.)	pag. 324
KLEMA E. D. (vedi OSBORNE R. K.)	» 791
KOCH W. (vedi EISENBERG Y.)	» 745
KONJUKOV M. V. and J. P. TERLETSKIJ — On the theory of the linear betatron	» 930
KOSHIBA M., G. SCHULTZ and M. SCHEIN — The charge spectrum of the cosmic radiation at 41° N	» 1
LIMENTANI S., P. E. SCHLEIN, P. H. STEINBERG and J. H. ROBERTS — Hyperfragment binding energies	» 1046
LOHRMANN E. (vedi EISENBERG Y.)	» 745
LUZZATTO G. (vedi CIUFFOLOTTI L.) (L.)	» 1110
LUZZATTO G. (vedi CORTINI G.)	» 706
LYNCH G. (vedi CONNOLLY P.)	» 1077
MADAN B. K. (vedi GUPTA R. K.) (L.)	» 1117
MANFREDINI A. (vedi CASTAGNOLI C.) (L.)	» 186
MANFREDINI A. (vedi CORTINI G.)	» 706
MARINI G. (vedi CERVASI FIDECARO M.)	» 37
MARQUEZ L. (vedi SILVA E.)	» 17
MCDOWELL S. W. — Correlated polarization of muons in $K_{\pi 3}$ -decay	» 258
MERLIN M. (vedi GRILLI M.) (L.)	» 358
MERRISON A. W. (vedi CASTAGNOLI C.) (L.)	» 186
MESSER H. (vedi SRINIVASAN S. K.)	» 77
MEZZETTI L. (vedi CERVASI FIDECARO M.)	» 37
MICHELETTI S. (vedi COLLI L.) (N.T.)	» 538
MICHELETTI A. (vedi ALEXANDER G.)	» 624
MIHAILOVIĆ M. V. — The high-energy end of the electron-bremsstrahlung spectrum (L.)	» 331
MILONE A. (vedi CORTINI G.)	» 85
MILONE C. (vedi CAVALLARO S.) (L.)	» 736
MILONE C. (vedi CORTINI G.) (L.)	» 188
MILONE C. (vedi EMMA V.) (L.)	» 343
MINAMI S. (vedi ITO D.)	» 208
MINAMI S. (vedi ITO D.)	» 461
MINAMI S. (vedi ITO D.) (L.)	» 554
MINGUZZI A. — Causality and vacuum polarization due to a constant and a radiation field	» 145
MINGUZZI A. — Charged meson-nucleon dispersion relations with fixed nucleons	» 1114
MINGUZZI A. (vedi BERTOCCHI L.) (L.)	» 1107
MITRA A. N. (vedi GILL P. S.)	» 400
MIYAZAWA H. (vedi UMEZAWA H.)	» 586
MONETI G. C. (vedi ALEXANDER G.)	» 624
MOORE W. H. jr. (vedi BOWEN T.)	» 908
MORPURGO G. — A discussion of some angular distributions in the reactions $\pi + N \rightarrow \pi + \pi + N$, $N + N \rightarrow 2N + \pi$, $\gamma + N \rightarrow \pi + \pi + N$	» 564
NAKAGAWA S., E. TAMAI and S. NOMOTO — Energetic heavy fragments emitted from nuclear stars	» 780
NAMBU Y. — Dispersion relations for form factors	» 610
NASH W. F. and A. J. POINTON — The scattering of μ -mesons in lead and copper	» 412
NIKOLIĆ M. (vedi EISENBERG Y.)	» 745

NOMOTO S. (vedi NAKAGAWA S.)	pag. 780
NOZIÈRES P. and D. PINES - A dielectric formulation of the many body problem. Application to the free electron gas.	» 470
NUSSENZVEIG H. M. (vedi BECK G.) (L.)	» 1068
O'FRIEL Z. (vedi GRILLI M.) (L.)	» 358
OSBORNE R. K. and E. D. KLEMA - Dynamics of an elastic ellipsoid	» 791
PELLEGRINI U. - Un generatore di treni d'impulsi nel campo dei nano-secondi (N.T.)	» 533
PELLEGRINI U., B. RISPOLI e A. SERRA - Un circuito in coincidenza con tempo risolutivo di 2.2 ns, e tempo morto dell'ordine di 5 ns di possibile impiego nella fisica nucleare (N.T.).	» 171
PERALDO BICELLI L. - Infrared absorption spectra of some pyridine molecular complexes (L.)	» 184
PHAM T. H. - Comparaison des deux méthodes d'obtention des équations du mouvement en relativité générale	» 647
PIGNANELLI M. (vedi COLLI L.)	» 280
PINES D. (vedi NOZIÈRES P.)	» 470
POINTON A. J. (vedi NASH W. F.)	» 412
PRIMAKOFF H. (vedi FOWLER J. M.)	» 1027
PROSPERI D. and S. SCIUTI - Branching ratio of ThC (^{212}Bi) (L.)	» 734
QUASSIATI B. (vedi BISI V.)	» 864
RATTI S. (vedi CONVERSI M.) (L.)	» 740
RAVENHALL D. G. (vedi JACKSON J. D.)	» 834
RAYSKI J. - Heisenberg's universal theory and gravitation (L.)	» 337
REGGE T. - On the analytic behaviour of the eigenvalue of the S-matrix in the complex plane of the energy	» 295
REGGE T. - Construction of potentials from resonance parameters	» 491
REMY E. and K. WINTER - On the mechanism of the (n, 2n) reaction at 14 MeV neutron energy	» 664
RINZIVILLO R. (vedi CORTINI G.) (L.)	» 188
RISPOLI B. (vedi PELLEGRINI U.) (N.T.)	» 171
ROBERTS J. H. (vedi LIMENTANI S.) (L.)	» 1046
RUBBIA C. (vedi CONVERSI M.) (L.)	» 740
RUBBINO A. (vedi CAVALLARO S.) (L.)	» 736
RUBBINO A. (vedi CORTINI G.)	» 85
RUBBINO A. (vedi EMMA V.) (L.)	» 343
RUDEMAN M. (vedi GATTO R.) (L.)	» 556
RYTZ A. (vedi COLLI L.)	» 280
RZEWUSKI J. - On a possible geometrical interpretation of gauge transformations	» 948
SALANDIN G. A. (vedi GRILLI M.) (L.)	» 358
SALVETTI C. (vedi COLLI L.) (N.T.)	» 538
SANGIUST V. - Note on the decay of ^{32}Sr	» 446
SANNA R. (vedi DE MARCO A.) (N.T.)	» 524
SARD R. D. (vedi FOWLER J. M.)	» 1027
SCHEIN M. (vedi KOSHIBA M.)	» 1
SCHLEIN P. E. (vedi LIMENTANI S.) (L.)	» 1046
SCHNEEBERGER M. (vedi EISENBERG Y.)	» 745
SCHRÖDINGER E. Might perhaps energy be a merely statistical concept? . .	» 162
SCHULTZ G. (vedi KOSHIBA M.)	» 1

SCIUTI S. (vedi PROSPERI D.) (L.)	pag. 734
SEEMAN N. (vedi GLASSER R. G.) (L.)	» 1085
SEGRE S. — On the formation of magneto-hydrodynamic shock waves	» 1054
SEN P. — The coefficients of friction and wear	» 721
SERRA A. (vedi PELLEGRINI U.) (N.T.)	» 171
SHARP R. T. — Two-nucleon potential from Chew-Low theory	» 23
SILVA E., J. GOLDBERG and P. B. SMITH — (γ , n) and (γ , 2n) reactions in ^{93}Nb	» 17
SIMONETTA M. and S. CARRÀ — The height of the barrier hindering rotation in nitrosodimethylamine	» 902
SIMONETTA M. (vedi FAVINI G.)	» 1058
SINGH B. P., H. S. HANS and P. S. GILL — Investigations of the decay of Polonium-210	» 699
SINGH H. — Sound absorption in relation to free volume of liquids (L.)	» 545
SKYRME D. M. and G. N. HARDING — The mechanism of neutron emission in high energy fission	» 1082
SMITH P. B. (vedi SILVA E.)	» 17
SNOW G. A. (vedi GLASSER R. G.) (L.)	» 1085
SONA P. G. — A general type of experiment proposed to test the conservation of parity in strong interactions at high energies (L.)	» 334
SRINIVASAN S. K., J. C. BUTCHER, B. A. CHARTRES and H. MESSEL — Numerical calculations on the new approach to the cascade theory - III	» 77
STEINBERG P. H. (vedi LIMENTANI S.) (L.)	» 1046
STEPHENSON G. — Quadratic lagrangians and general relativity	» 263
SUBBA RAO B. N. (vedi JOSHI M. C.)	» 600
SUCCI C. (vedi CONVERSI M.) (L.)	» 740
TAFFARA L. (vedi CEOLIN C.) (L.)	» 353
TAGLIAFERRI G. (vedi BOWEN T.)	» 908
TALLONE L. (vedi BISI V.)	» 864
TAMAI E. (vedi NAKAGAWA S.)	» 780
TANAKA H. (vedi ITO D.)	» 208
TANAKA H. (vedi ITO D.)	» 461
TANAKA H. (vedi ITO D.) (L.)	» 554
TERLETSKIJ J. P. (vedi KONJUKOV M. V.)	» 930
THIRRING W. — On interacting spinor fields in one dimension	» 1007
THOSAR B. V. (vedi JOSHI M. C.)	» 600
TOMASINI G. (vedi CIUFFOLOTTI L.) (L.)	» 1110
TOMASINI G. (vedi CORTINI G.)	» 706
TOMASINI G. (vedi DE MARCO A.) (N.T.)	» 524
TORALDO DI FRANCIA G. — Babinet's principle for diffraction at a plane screen with directional conductivity	» 309
TORRELLI G. (vedi CONVERSI M.) (L.)	» 740
TREIMAN S. B. (vedi GOLDBERGER M. L.)	» 451
TRIBUNO C. (vedi CORTINI G.) (L.)	» 188
TSAI-CHÜ, B. CHEMEL and S. DESPREZ — Associated production of a K^+ -meson and a hyperfragment (L.)	» 190
ULEHLA I. — A new possible theory of the μ -meson	» 679
UMEZAWA H. and H. MIYAZAWA — On the symmetry law and the pion decay	» 586
VAN WYK C. B. — Polarization of particles with spin unity	» 270
VIGONE M. (vedi BISI V.)	» 864

VILLI C. (vedi CLEMENTEL E.)	pag. 950
VITALE B. (vedi AMATI D.) (L.)	» 340
VITALE B. (vedi AMATI D.)	» 895
VITALE S. (vedi BELTRAMETTI E. G.)	» 289
WATAGHIN G. - Causality, complementarity and <i>S</i> -matrix formalism in a non-local relativistic theory of fields	» 519
WEIDLICH W. - Zum Aufbau der Quantenfeldtheorie ohne Lagrangeformalismus	» 228
WEISSMANN A. - Über den anisotropen Charakter der verallgemeinerten relativistischen Räume	» 1016
WERLE J. - Phenomenological theory of the <i>S</i> -matrix and <i>T</i> , <i>U</i> and <i>P</i> invariance	» 569
WERLE J. - Phenomenological theory of the <i>S</i> -matrix and <i>T</i> , <i>U</i> and <i>P</i> invariance - II.	» 1091
WINTER K. (vedi REMY E.)	» 664
WINZELER H. (vedi EISENBERG Y.)	» 745
WYLD H. W. jr. (vedi JACKSON J. D.)	» 834
YENNIE D. R. and S. GARTENHAUS - Convergence of the <i>S</i> -matrix	» 59
YOON T. S. (vedi ASCOLI G.)	» 813
ZICHICHI A. (vedi ALEXANDER G.)	» 624
ZURMÜHLE R. (vedi COLLI L.)	» 280

INDICE ANALITICO PER MATERIE

APPARATI, STRUMENTI E TECNICA SPERIMENTALE

Determination of the circular polarization of the β -rays bremsstrahlung with a new γ -polarimeter, <i>E. G. Beltrametti</i> and <i>S. Vitale</i>	pag. 289
Electronic equipment for measuring ionization in nuclear plates, <i>A. De Marco</i> , <i>R. Sanna</i> and <i>G. Tomasini</i> (N.T.)	» 524
L'acceleratore per deutoni di 160 keV dell'I.N.F.N., Sezione di Milano, <i>L. Colli</i> , <i>S. Micheletti</i> e <i>C. Salvetti</i> (N.T.)	» 538
On the methods of ionization measurements in G-5 and K-5 emulsion, <i>L. Ciuffolotti</i> , <i>G. Luzzatto</i> , <i>G. Tomasini</i> and <i>G. Cortini</i>	» 1110
On the methods of ionization measurement in G-5 and K-5 emulsions, <i>G. Cortini</i> , <i>G. Luzzatto</i> , <i>G. Tomasini</i> and <i>A. Manfredini</i>	» 706
Un circuito in coincidenza con tempo risolutivo di 2.2 ns, e tempo morto dell'ordine di 5 ns di possibile impiego nella fisica nucleare, <i>U. Pellegrini</i> , <i>B. Rispoli</i> e <i>A. Serra</i> (N.T.)	» 171
Un generatore di treni d'impulsi nel campo dei nanosecondi, <i>U. Pellegrini</i> (N.T.)	» 533

COSMICA (RADIAZIONE)

Hemispherical distribution of cosmic rays at 25° geomagnetic latitude, <i>P. S. Gill</i> and <i>N. S. Mitra</i>	» 400
---	-------

Latitude variation of 27-day cosmic ray intensity decreases, <i>R. R. Brown</i>	pag. 197
The charge spectrum of the cosmic radiation at 41° N, <i>M. Koshiba</i> , <i>G. Schultz</i> and <i>M. Schein</i>	» 1
The polarization of cosmic ray muons, <i>J. M. Fowler</i> , <i>H. Primakoff</i> and <i>R. D. Sard</i>	» 1027
The zenithal distribution of the cosmic ray neutrons in the high energy range, <i>M. Cervasi Fidecaro</i> , <i>G. Fidecaro</i> , <i>G. Marini</i> and <i>L. Mezzetti</i>	» 37

ELETTRODINAMICA E TEORIA DEI CAMPI

A general type of experiment proposed to test the conservation of parity in strong interactions at high energies, <i>P. G. Sona</i> (L.)	» 334
An explicit solution of the Thirring model, <i>V. Glaser</i>	» 990
A new representation for baryonic fields and strong interactions, <i>B. d'Espagnat</i> (L.)	» 920
A note on an acausality test (II), <i>D. Ito</i> , <i>S. Minami</i> and <i>H. Tanaka</i>	» 461
Causality and vacuum polarization due to a constant and a radiation field, <i>A. Minguzzi</i>	» 145
Causality, complementarity and <i>S</i> -matrix formalism in a non local relativistic theory of fields, <i>G. Wataghin</i>	» 519
Charged meson-nucleon dispersion relations with fixed nucleons, <i>A. Minguzzi</i>	» 1114
Construction of potentials from resonance parameters, <i>T. Regge</i>	» 491
Convergence of the <i>S</i> -matrix, <i>D. R. Yennie</i> and <i>S. Gartenhaus</i>	» 59
Dispersion relations for form factors, <i>Y. Nambu</i>	» 610
Elastic scattering and intrinsic structure of elementary particles, <i>D. I.</i> <i>Blohinčev</i> , <i>V. S. Barašenkov</i> and <i>V. G. Grišin</i>	» 249
Heisenberg's universal theory and gravitation, <i>J. Rayski</i> (L.)	» 337
Il metodo funzionale di Feynman in un semplice modello di teoria dei campi, <i>R. Cirelli</i> e <i>A. Esteve Pastor</i> (L.)	» 560
Nucleon structure and pion-phenomena, <i>D. Ito</i> , <i>S. Minami</i> and <i>H. Tanaka</i>	» 208
Numerical calculations on the new approach to the cascade theory (III), <i>S. K. Srinivasan</i> , <i>J. C. Butcher</i> , <i>B. A. Chartres</i> and <i>H. Messel</i>	» 77
On a possible geometrical interpretation of gauge transformations, <i>J. Rzewuski</i>	» 948
On a possible limit of applicability of quantum electrodynamics, <i>D. I.</i> <i>Blohinčev</i>	» 925
On electromagnetic corrections from high energy virtual photons, <i>R. Gatto</i> and <i>M. Ruderman</i> (L.)	» 556
On Hall's formula for the relativistic photoeffect, <i>M. Gavrila</i> (L.)	» 327
On interacting spinor fields in one dimension, <i>W. Thirring</i>	» 1007
On the analytic behaviour of the eigenvalue of the <i>S</i> -matrix in the complex plane of the energy, <i>T. Regge</i>	» 295
On the charge conjugation of baryons, <i>P. Budini</i> , <i>N. Dallaporta</i> and <i>L. Fonda</i>	» 316
On the universal Fermi interaction, <i>S. A. Bludman</i>	» 433
Pair effects in the Lee model, <i>J. S. Goldstein</i>	» 504
Phenomenological theory of the <i>S</i> -matrix and <i>T</i> , <i>C</i> and <i>P</i> invariance, <i>J. Werle</i>	» 569

Phenomenological theory of the S -matrix and T , C and P invariance (II), <i>J. Werle</i>	pag. 1091
Remarks on some identities in static meson theory, <i>K. Haller</i> (L.) . .	» 346
Representations of symmetry operators, <i>P. G. Federbush</i> and <i>M. T. Grisaru</i> . .	» 890
Strong coupling nucleon's propagator, <i>L. M. Garrido</i>	» 822
Test on the global symmetry, <i>B. Ito</i> , <i>S. Minami</i> and <i>H. Tanaka</i> (L.) .	» 554
The high-energy end of the electron-bremsstrahlung spectrum, <i>M. V. Mihailovič</i> (L.)	» 331
Two-nucleon potential from Chew-Low theory, <i>R. T. Sharp</i>	» 23
Unitary transformations of PS-PS and PS-PV interactions, <i>J. S. R. Chisholm</i> and <i>G. M. Dixon</i>	» 125
Zum Aufbau der Quantenfeldtheorie ohne Lagrangeformalismus, <i>W. Weidlich</i>	» 228

IPERFRAMMENTI

Analysis of three hypertriton decays, <i>K. Imaeda</i> , <i>M. Kazuno</i> and <i>T. Aiba</i> (L.)	» 324
Hyperfragment binding energies, <i>S. Limentani</i> , <i>P. E. Schlein</i> , <i>P. H. Steinberg</i> and <i>J. H. Roberts</i>	» 1046
The Λ -hyperon problem from meson theory, <i>F. Ferrari</i> and <i>L. Fonda</i> . .	» 842
The non mesonic decay in flight of a He hyperfragment, <i>M. Baldo-Ceolin</i> , <i>M. F. Fry</i> and <i>H. Huzita</i> (L.)	» 551

LIQUIDI E SOLIDI

Measurement of the wind produced in liquids by an excited piezoelectric quartz, <i>A. Carrelli</i> and <i>F. Cennamo</i>	» 303
Sound absorption in relation to free volume of liquids, <i>H. Singh</i> (L.) .	» 545
The coefficients of friction and wear, <i>P. Sen</i>	» 721

MESONI (π E μ)

Absorption cross sections of carbon, iron and lead for 1.5 GeV negative pions and 2.8 GeV protons, <i>T. Bowen</i> , <i>M. Di Corato</i> , <i>W. H. Moore jr.</i> and <i>G. Tagliaferri</i>	» 908
Angular distribution in π - μ decay, <i>P. Connolly</i> and <i>G. Lynch</i>	» 1077
A new possible theory of the μ -meson, <i>I. Ulehla</i>	» 679
Diffraction scattering and interactions of 0.57 GeV π^- in emulsions, <i>A. Barbaro</i> , <i>G. Baroni</i> and <i>C. Castagnoli</i>	» 154
Energy dependence of positron asymmetry from polarized muon decay in emulsion, <i>C. Castagnoli</i> , <i>A. Manfredini</i> and <i>A. W. Merrison</i> (L.) .	» 186
Neutral pion decay, <i>M. L. Goldberger</i> and <i>S. B. Treiman</i>	» 451
On a possible test of symmetry in pion interactions, <i>D. Amati</i> and <i>B. Vitale</i>	» 895

On the symmetry law and the pion decay, <i>H. Umezawa</i> and <i>H. Miyazawa</i>	pag. 586
Question of a second neutral pion, <i>A. M. Baldin</i> and <i>P. K. Kabir</i> (L.)	» 547
The mesic coupling constants from scattering and photoproduction experiments, <i>L. Bertocchi</i> and <i>A. Minguzzi</i>	» 1107
The scattering of μ -mesons in lead and copper, <i>W. F. Nash</i> and <i>A. J. Pointon</i>	» 412

MESONI PESANTI E IPERONI

Angular distribution in strange particle two body-decays, <i>M. Jacob</i>	» 826
A search for particles of 550 m_e , <i>M. Conversi</i> , <i>E. Fiorini</i> , <i>S. Ratti</i> , <i>C. Rubbia</i> , <i>C. Succi</i> and <i>G. Torrelli</i>	» 740
Associated production of a K^- -meson, <i>Tsai-Chü</i> , <i>B. Chemel</i> and <i>S. Desprez</i> (L.)	» 190
Correlated polarization of muons in K_{π^3} -decay, <i>S. W. McDowell</i>	» 258
Energetic heavy fragments emitted from nuclear stars, <i>S. Nakagawa</i> , <i>E. Tamai</i> and <i>S. Nomoto</i>	» 780
Hyperon polarization in associated production and heavy meson parity, <i>D. Amati</i> and <i>B. Vitale</i> (L.)	» 340
Interactions and decays of K^- -mesons. - III. Analysis of the stars in flight, <i>Y. Eisenberg</i> , <i>W. Koch</i> , <i>E. Lohrmann</i> , <i>M. Nikolić</i> , <i>M. Schneebberger</i> and <i>H. Winzeler</i>	» 745
Interactions of negative K -mesons with protons, <i>G. Ascoli</i> , <i>R. D. Hill</i> and <i>T. S. Yoon</i>	» 813
K^- -interactions with free protons in nuclear emulsion, <i>R. G. Glasser</i> , <i>N. Seeman</i> and <i>G. A. Snow</i>	» 1085
Λ^0 and Θ^0 particles produced in iron, <i>G. Alexander</i> , <i>C. Ballario</i> , <i>R. Bizzarri</i> , <i>B. Brunelli</i> , <i>E. Di Capua</i> , <i>A. Michelini</i> , <i>G. C. Moneti</i> and <i>A. Zichichi</i>	» 624
Nuclear interactions of neutral K -mesons of long lifetime, <i>V. Bisi</i> , <i>R. Cester</i> , <i>A. Debenedetti</i> , <i>C. M. Garelli</i> , <i>B. Quassiani</i> , <i>L. Tallone</i> and <i>M. Vigone</i>	» 864
On the abundances of the $K_{\mu 3}$ and $K_{e 3}$ decay modes of positive K -mesons, <i>M. Bruin</i> , <i>D. J. Holthuizen</i> and <i>B. Jongejans</i>	» 422
Phenomenological discussion of the scattering and absorption of K -mesons by protons, <i>J. D. Jackson</i> , <i>D. G. Ravenhall</i> and <i>H. W. Wyld jr.</i>	» 834
Pion production in the K -nucleon interaction, <i>C. Ceolin</i> , <i>N. Dallaporta</i> and <i>L. Taffara</i> (L.)	» 353
Preliminary results on K^+ -interaction at high energy ($200 \div 350$ MeV), <i>M. Grilli</i> , <i>L. Guerriero</i> , <i>M. Merlin</i> , <i>Z. O'Friel</i> and <i>G. A. Salandin</i> (L.)	» 358

MOLECOLE

Applicazione del metodo del campo auto-consistente alle molecole di <i>cis</i> - e <i>trans</i> -dicloroetilene e di tetracloroetilene, <i>G. Favini</i> e <i>M. Simonetta</i>	» 1058
--	--------

Infrared absorption spectra of some pyridine molecular complexes, <i>L. Peraldo Bicelli</i> (L.)	pag. 184
The height of the barrier hindering rotation in nitrosodimethylamine, <i>M. Simonetta</i> and <i>S. Carrà</i>	» 902

NUCLEI (FISICA NUCLEARE)

A discussion of some angular distributions in the reactions $\pi + N \rightarrow$ $\rightarrow \pi + \pi + N$, $N + N \rightarrow 2N + \pi$, $\gamma + N \rightarrow \pi + \pi + N$, <i>G. Morpurgo</i>	» 564
Angular distribution of photoprotons from silicon, <i>V. Emma</i> , <i>C. Milone</i> and <i>A. Rubbino</i> (L.)	» 343
Dynamics of an elastic ellipsoid, <i>R. K. Osborne</i> and <i>E. D. Klema</i>	» 791
Energy spectra of photoneutrons from Cr and Ta, <i>G. Cortini</i> , <i>A. Milone</i> , <i>A. Rubbino</i> and <i>F. Ferrero</i>	» 85
(γ , n) and (γ , 2n) reactions in ^{93}Nb , <i>E. Silva</i> , <i>J. Goldemberg</i> and <i>P. B. Smith</i>	» 17
Internal conversion angular correlations, <i>E. V. Ivash</i>	» 136
M_1 transitions in ^{141}Pr and ^{191}Ir , <i>M. C. Joshi</i> , <i>B. N. Subba Rao</i> and <i>B. V. Thosar</i>	» 600
Note on the electron capture decay of $^{121}\text{Te}^m$, <i>R. K. Gupta</i> , <i>S. Jha</i> and <i>B. K. Madan</i>	» 1117
On the mechanism of the (n, 2n) reaction at 14 MeV neutron energy, <i>E. Remy</i> and <i>K. Winter</i>	» 664
Phenomenological relation between electron and photon disintegration of nuclei, <i>B. Bosco</i> and <i>S. Fubini</i> (L.)	» 350
Photon neutrons from Au, <i>S. Cavallaro</i> , <i>V. Emma</i> , <i>C. Milone</i> and <i>A.</i> <i>Rubbino</i>	» 736
Photoprotons from nitrogen, <i>G. Cortini</i> , <i>C. Milone</i> , <i>R. Rinzivillo</i> and <i>C. Tribuno</i> (L.)	» 188
Slow mesons accompanying high energy interactions, <i>B. Chamany</i> and <i>A. G. Barkow</i>	» 590
Spectrum of protons from n, p reactions at 13.4 and 17.5 MeV neutron energies, <i>L. Colli</i> , <i>M. Pignanelli</i> , <i>A. Rytz</i> and <i>R. Zurmühle</i>	» 280
The mechanism of neutron emission in high energy fission, <i>D. M. Skyrme</i> and <i>G. N. Harding</i>	» 1082
The nucleon effective mass and the statistical model of the nucleus, <i>E. Clementel</i> and <i>C. Villi</i>	» 950

ONDE ELETTROMAGNETICHE E PLASMA

A dielectric formulation of the many body problem, <i>P. Nozières</i> and <i>D. Pines</i>	» 470
On the formation of magneto-hydrodynamic shock waves, <i>S. Segre</i>	» 1054
On the theory of linear betatron, <i>M. V. Konjukov</i> and <i>J. P. Terletsij</i>	» 930

OTTICA

Babinet's principle for diffraction at a plane screen with directional conductivity, <i>G. Toraldo di Francia</i>	» 309
--	-------

QUANTISTICA (MECCANICA)

Might perhaps energy be a merely statistical concept? <i>E. Schrödinger</i> pag.	162
Observation in quantum mechanics, <i>H. S. Green</i> »	880
On convergence to the Møller wave operators, <i>M. N. Hack</i> (L.) . . . »	731
On the derivation of rate equations, <i>R. Ingraham</i> »	99
On the determination of the space group by the statistical method, <i>M. S. Farag</i> »	694
Polarization of particles with spin unity, <i>C. B. Van Wyk</i> »	270
Uncertainty relation and diffraction by a slit, <i>G. Beck</i> and <i>H. M. Nussenzweig</i> »	1068

RADIOATTIVITÀ

Branching ratio of ThC (^{212}Bi), <i>D. Prosperi</i> and <i>S. Sciuti</i> (L.) »	734
Investigations of the decay of Polonium-210, <i>B. P. Singh</i> , <i>H. S. Hans</i> and <i>P. S. Gill</i> »	699
Note on the decay of ^{82}Sr , <i>V. Sangiust</i> »	446

RELATIVITÀ GENERALE

Comparaison des deux méthodes d'obtention des équations du mouvement en relativité générale, <i>T. H. Pham</i> »	647
On the stability of the Nordström-Reissner singularity, <i>L. Favella</i> (L.) »	362
Quadratic lagrangians and general relativity, <i>G. Stephenson</i> »	263
Über den Einfluß der Eigenrotation des Zentralkörpers auf die Bewegung der Satelliten nach der Einsteinschen Gravitationstheorie, <i>N. S. Kalitzin</i> »	365
Über den anisotropen Charakter der verallgemeinerten relativistischen Räume, <i>A. Weissmann</i> »	1016

SCATTERING MULTIPLO E IONIZZAZIONE

The suppression effect in ionization by fast electron pairs, <i>G. H. Burkhardt</i> »	375
---	-----

INDICE DELLE RECENSIONI

<i>H. J. LIPKIN</i> - <i>Proceedings of the Rehovoth Conference on Nuclear Structure</i> pag.	195
<i>Handbuch der Physik</i> - Band 21: <i>Elektronenemission. Gasentladungen I</i> ; Band 22: <i>Elektronenemission. Gasentladungen II</i> »	924
<i>J. L. SYNGE</i> - <i>The Relativistic Gas</i> »	1118
<i>A. R. MEETHAM</i> - <i>Basic Physics</i> »	1118

Fine del Volume IX, Serie X, 1958

PROPRIETÀ LETTERARIA RISERVATA

Direttore responsabile: G. POLVANI

Tipografia Compositori - Bologna

Questo fascicolo è stato licenziato dai torchi il 10-X-1958

